isse home : search isee : shop : web account ? contact less



anne e	Cisse	: 200 to	omicee : wher	. web wo		00.31,7601	,		Z.	× ====================================
Memt	ershi	p Pu	plications/Services	Standard	s Confere	ices Car	reers/Job:	3		
J			XOIOIG	)	United Stat		ome and Trade	emark Office	•	1
<u>Help</u>	***********	************	IEEE Peer Review	Quick L	inks					» Se
	000000000000000000000000000000000000000				•					
-	Home	Y	Your searc							
	What I I Acce		Descendir		results are	aispiaye	ea, <b>15</b> to	o a page,	sorted by <b>Re</b>	levance
· O-	Log-o	<b>r</b> t								
Tenles	0.00	itanis	Refine Th			editing	the curr	ent search	expression	or enteri
$\bigcirc$	Journ	ais	new one in	•	•	editing	the curr	ent search	- CAPICSSION	or circuit
	& Mag	azines	amplifier an	d open loo	р			Search		
	Conte Proce	rence edings	☐ Check to	search v	within this	result se	et			
$\bigcirc$	Stand	ards	Results K	ev:						,
Spara			JNL = Jou		agazine <b>C</b>	NF = Co	nferenc	e <b>STD</b> =	Standard	
0	By Au	thur								
0	Basic			-	•	nearity	on line	arity of f	eedback am	plifiers
	Advan		Yonghui Ta Circuits an			SCAS 200	02. IEEE	Internation	onal Sympos	ium
O	Cross	Ref	on , Volum	e: 2 , 26-	-29 May 20				- · · · · · · · · · · · · · · · · · · ·	
Mema			Pages:II-1	41 - II-14	14 vol.2					
***	Join II		[Abstract]	[PDF Fu	الـا-Text (52	25 KB)]	IEEE CN	1F		
7,00		ish IEE Iccoun		op pole i	ocation b	ounds f	or parti	ial positiv	e feedback	gain
	Acces		enhancen				rs			
		đembei Librai					2001. Pi	roceedings	of the 44th	IEEE 200
	- 		Midwest S	mposium	on , Volui					
	Militai Acces		Pages:425	- 428 vol	1.1					•
~~~	HEEF E	e en Mari	[Abstract]	[PDF Fi	ull-Text (20	04 KB)]	IEEE CN	NF		
	inst Fan		<b>signal ap</b> j O'Halloran,	olications M.G.; Sa d System e: 2, 26	<b>s</b> arpeshkar, s, 2002. IS -29 May 20	<i>R.;</i> SCAS 200			<b>40S amplifi</b> onal Sympos	

[Abstract] [PDF Full-Text (526 KB)] IEEE CNF

4 A 12-bit 75-MS/s pipelined ADC using open-l p residue amplification Murmann, B.; Boser, B.E.; Solid-State Circuits, IEEE Journal of , Volume: 38 ; Issue: 12 , Dec. 2003 Pages: 2040 - 2050

### [Abstract] [PDF Full-Text (592 KB)]

# 5 An approach to test the pen-loop parameters f feedback amplifier

Giustolisi, G.; Palumbo, G.;

Circuits and Systems I: Fundamental Theory and Applications, IEEE Transactic on [see also Circuits and Systems I: Regular Papers, IEEE Transactions on], Volume: 49, Issue: 1, Jan. 2002

Pages:70 - 75

[Abstract] [PDF Full-Text (341 KB)] IEEE JNL

### 6 A novel method for determining open-loop parameters in feedback amplifiers

Giustolisi, G.; Palumbo, G.;

Instrumentation and Measurement Technology Conference, 1999. IMTC/99.

Proceedings of the 16th IEEE, Volume: 1, 24-26 May 1999

Pages:531 - 534 vol.1

[Abstract] [PDF Full-Text (216 KB)] IEEE CNF

### 7 CMOS +1V to -1V, rail to rail operational amplifier

Setty, S.; Toumazou, C.;

Analogue Signal Processing, IEE Colloquium on , 13 Oct 1994

Pages: 10/1 - 10/7

[PDF Full-Text (256 KB)] [Abstract] IEE CNF

### 8 Design of Feedback Amplifiers for Prescribed Closed-Loop **Characteristics**

Stewart, J.;

Circuit Theory, IRE Transactions on , Volume: 3 , Issue: 2 , Jun 1956.

Pages: 145 - 151

[PDF Full-Text (800 KB)] IEEE JNL [Abstract]

## 9 High performance open-loop AM modulator designed for power cont of E-GPRS polar modulated power amplifier

Pehlke, D.R.; Hadjichristos, A.; Justice, S.;

Custom Integrated Circuits Conference, 2004. Proceedings of the IEEE 2004, Oct. 2004

Pages: 569 - 572

[Abstract] [PDF Full-Text (535 KB)]

# 10 Settling time analysis of third order systems

Marques, A.; Geerts, Y.; Steyaert, M.; Sansen, W.;

Electronics, Circuits and Systems, 1998 IEEE International Conference

on , Volume: 2 , 7-10 Sept. 1998

Pages: 505 - 508 vol.2

[PDF Full-Text (296 KB)] [Abstract] **IEEE CNF** 

### 11 Design of single-v Itage amplifier active filters for minimum pen-l gain sensitivity

Petrela, D.; Budak, A.;

Circuits and Systems, IEEE Transactions on [legacy, pre - 1988], Volume:

18 , Issue: 6 , Nov 1971

Pages:631 - 635

[Abstract] [PDF Full-Text (544 KB)] **IEEE JNL** 

### 12 A high-input-impedance buffer

Lanyi, S.; Pisani, M.;

Circuits and Systems I: Fundamental Theory and Applications, IEEE Transactic on [see also Circuits and Systems I: Regular Papers, IEEE Transactions on], Volume: 49, Issue: 8, Aug. 2002

Pages: 1209 - 1211

[Abstract] [PDF Full-Text (230 KB)] IEEE JNL

## 13 Characterization of an open-loop interferometric fiber-optic gyrosc with the Sagnac coil closed by an erbium-doped fiber amplifier

Chin-Yi Liaw; Yan Zhou; Yee-Loy Lam;

Lightwave Technology, Journal of , Volume: 16 , Issue: 12 , Dec. 1998

Pages: 2385 - 2392

[PDF Full-Text (460 KB)] [Abstract] **IEEE JNL** 

# 14 On optimizing the feedback components in a voltage-feedback amp

Hoff, P.;

Education, IEEE Transactions on , Volume: 40 , Issue: 3 , Aug. 1997

Pages:219 - 221

[Abstract] [PDF Full-Text (76 KB)] **IEEE JNL** 

### 15 Feedback effects in erbium-doped fiber amplifier/source for open-l fiber-optic gyroscope

Hee Gap Park; Kyoung Ah Lim; Young-Jun Chin; Byoung Yoon Kim; Lightwave Technology, Journal of , Volume: 15 , Issue: 8 , Aug. 1997


Pages: 1587 - 1593

[Abstract] [PDF Full-Text (192 KB)] **IEEE JNL** 

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 Next

Home | Log-out | Journals | Conference Proceedings | Standards | Search by Author | Basic Search | Advanced Search | Join IEEE | Web Account | New this week | OPAC Linking Information | Your Feedback | Technical Support | Email Alerting | No Robots Please | Release Notes | IEEE Online Publications | Help | FAQ | Terms | Back to Top

Copyright © 2004 IEEE - All rights reserved



BEST AVAILABLE COPY